




CYSD TAPERED BEARINGS CO.,LTD



20,000 mm x 52,000 mm x 15,000 mm NTN
NJ304 cylindrical roller bearings

Bearing No. NJ304

NJ304 Bearing 2D drawings and 3D CAD models

Size	20x52x15 mm
Bore Diameter	20,000 mm
Outer Diameter	52,000 mm
Width	15,000 mm
d	20,000 mm
D	52,000 mm
B	15,000 mm
C	15,000 mm
Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.152
EAN	4547359122350
Product Group	B04144
Bore Profile	Straight
Cage Material	Steel
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - One Side
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes



CYSD TAPERED BEARINGS CO.,LTD

Relubricatable	Yes
Inch - Metric	Metric
Other Features	1 Rib Inner Ring 2 Rib Outer Ring Cage On Outer Ring ID
Long Description	20MM Bore; Straight Bore Profile; 52MM Outside Diameter; 15MM Width; Steel Cage Material; RBEC 1 ISO P0; Single Row; Inner Ring - One Side Separable; No Snap Ring; Relubricatable; C0-Medium Intern
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	NJ304
Weight / LBS	0.336
Bore	0.787 Inch 20 Millimeter
Outside Diameter	2.047 Inch 52 Millimeter
Width	0.591 Inch 15 Millimeter
bore diameter:	20 mm
precision rating:	ISO Class 0
outside diameter:	52 mm
maximum rpm:	17000 rpm
overall width:	15 mm
bearing material:	Hardened Alloy Steel
flanges:	(2) Outer Ring, (1) Inner Ring
cage material:	Pressed Steel
bore type:	Straight
finish/coating:	Uncoated



CYSD TAPERED BEARINGS CO.,LTD

number of rows:	1
closure type:	Open
internal clearance:	CN
outer ring width:	15 mm
ring separation:	Non-Separable
fillet radius:	1.1 mm
operating temperature range:	-40 to 120 ° C
series:	NJ
dynamic load capacity:	31500 N
manufacturer product page:	Click here
static load capacity:	26900 N